

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	trotter.in. and tyrosine ADJ kinase\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 14:04

=> b reg
 FILE 'REGISTRY' ENTERED AT 13:47:14 ON 20 SEP 2007
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 19 SEP 2007 HIGHEST RN 947584-60-3
 DICTIONARY FILE UPDATES: 19 SEP 2007 HIGHEST RN 947584-60-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> d que sta 19
 L1 STR



NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 14

STEREO ATTRIBUTES: NONE
 L9 19 SEA FILE=REGISTRY SSS FUL L1

100.0% PROCESSED 18067 ITERATIONS
 SEARCH TIME: 00.00.01

19 ANSWERS

=> b hcap
 FILE 'HCAPLUS' ENTERED AT 13:47:33 ON 20 SEP 2007
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Sep 2007 VOL 147 ISS 13
 FILE LAST UPDATED: 19 Sep 2007 (20070919/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> b hcap

FILE 'HCAPLUS' ENTERED AT 13:47:36 ON 20 SEP 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Sep 2007 VOL 147 ISS 13

FILE LAST UPDATED: 19 Sep 2007 (20070919/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d bib abs hitrn fhitr 18 tot

L8 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2007 ACS on STN

AN 2003:836790 HCAPLUS

DN 139:337988

TI Preparation of 1,2,3,4,5,6-hexahydro-5,2-(epiminomethano)-3-benzazocine derivatives as tyrosine kinase inhibitors

IN Trotter, B. Wesley

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 78 pp.



CODEN: PIXXD2

DT Patent


LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2003086315	A2	20031023	2003WO-US12457	20030408
	WO2003086315	A3	20040108		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	CA---2480758	A1	20031023	2003CA-2480758	20030408
	AU2003223689	A1	20031027	2003AU-0223689	20030408
	EP---1496907	A2	20050119	2003EP-0719886	20030408
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
	JP2005528387	T	20050922	2003JP-0583340	20030408
	US2005227988	A1	20051013	2004US-0510610	20041008
PRAI	2002US-372232P	P	20020412		
	2003WO-US12457	W	20030408		
OS	MARPAT 139:337988				
GI					




- AB The present invention relates to benzazocine compds. [I; wherein R1a = H, (un)substituted C1-6 alkyl, OR4; R1b = H, (un)substituted C1-6 alkyl; X = a bond, CO, O, NR4, S(O)mR4, CO2R4, CON(R4)2; R1 = H, halo, OR4, NO2, S(O)mR4, cyano, each (un)substituted C1-10 alkyl, aryl, C2-6 alkenyl, C3-10 cycloalkyl, C2-6 alkynyl, or heterocyclyl, COR4, CO2R4, CON(R4)2, S(O)mN(R4)2, N(R4)2; V = H, CF3, aryl, heterocyclyl, C3-10 cycloalkyl; R2 = H, (un)substituted C1-10 alkyl, (CR1b)tOR4, halo, cyano, NO2, CF3, (CR1b)tN(R4)2, CO2R4, COR4, SO2R4, (CR1b)tNR4(CR1b)tR5, (CR1b)tS(O)mNR4, CO2R4, NR4COR4, each (un)substituted aryl or heterocyclyl; R4 = H, each (un)substituted C1-10 alkyl, C3-10 cycloalkyl, aryl, or heterocyclyl, CF3; R5 = each (un)substituted aryl or heterocyclyl; m = 0, 1, or 2; n, p, q, t = 0 to 6] or pharmaceutically acceptable salts or stereoisomers thereof. These compds. are capable of inhibiting, modulating and/or regulating signal transduction of both receptor-type tyrosine kinases (RTK) selected from insulin receptor (IR) kinase, insulin-like growth factor I receptor (IGF-IR) kinase and IRR receptor tyrosine kinase and non-receptor type tyrosine kinases (no data). They are useful for treating protein kinase, in particular RTK-related disorders such as cancer, diabetes, an autoimmune disorder, a hyperproliferation disorder, aging, acromegaly, and Crohn's disease and also treating retinal vascularization.
- IT 615557-39-6P 615557-40-9P 615557-41-0P
615557-42-1P 615557-43-2P 615557-44-3P
615557-45-4P 615557-46-5P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of hydro(epiminomethano)benzazocine derivs. as tyrosine kinase inhibitors for treating receptor type tyrosine kinase-related disorders)
- IT 615557-51-2P 615557-52-3P 615557-53-4P
615557-54-5P 615557-55-6P 615557-56-7P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of hydro(epiminomethano)benzazocine derivs. as tyrosine kinase inhibitors for treating receptor type tyrosine kinase-related disorders)
- IT 615557-39-6P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of hydro(epiminomethano)benzazocine derivs. as tyrosine kinase inhibitors for treating receptor type tyrosine kinase-related disorders)
- RN 615557-39-6 HCAPLUS
- CN 5,2-(Iminomethano)-3-benzazocine, 3-[(3-bromophenyl)methyl]-1,2,3,4,5,6-hexahydro-11-methyl-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


=> d bib abs hitstr l12 tot

L12 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2007 ACS on STN
 AN 2002:543654 HCAPLUS
 DN 137:338105
 TI Stereoselective synthesis of bis(α -amino acid) derivatives isosteric of cysteine. Part 4
 AU Ferioli, Federico; Piccinelli, Fabio; Porzi, Gianni; Sandri, Sergio
 CS Dipartimento di Chimica 'G. Ciamician', Universita di Bologna, Bologna, 40126, Italy
 SO Tetrahedron: Asymmetry (2002), 13(11), 1181-1187
 CODEN: TASYE3; ISSN: 0957-4166
 PB Elsevier Science Ltd.
 DT Journal
 LA English
 OS CASREACT 137:338105
 GI




AB Enantiomerically pure α -alkyl derivs. of α,α' -diaminodicarboxylic acids isosteric of cysteine I, II and III (R1 = Me, CH2Ph, CH2OMe, CH2CH:CH2, CH2OH) have been synthesized starting from the glycine-derived chiral synthon IV via alkylation of bicyclic and tricyclic intermediates following by acid-hydrolysis.
 IT 330160-19-5
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (stereoselective synthesis of 2,7-diaminocarboxylic acid derivs. from glycine-derived chiral synthon via alkylation and acid-hydrolysis)
 RN 330160-19-5 HCAPLUS
 CN 5,2-(Iminomethano)-3-benzazocine-4,12(1H)-dione, 2,3,5,6-tetrahydro-3,11-bis[(1S)-1-phenylethyl]-, (2S,5S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



IT 473920-00-2P 473920-01-3P 473920-03-5P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (stereoselective synthesis of 2,7-diaminocarboxylic acid derivs. from glycine-derived chiral synthon via alkylation and acid-hydrolysis)
 RN 473920-00-2 HCAPLUS
 CN 5,2-(Iminomethano)-3-benzazocine-4,12(1H)-dione, 2,3,5,6-tetrahydro-2-methyl-3,11-bis[(1S)-1-phenylethyl]-, (2S,5S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 473920-01-3 HCAPLUS

CN 5,2-(iminomethano)-3-benzazocine-4,12(1H)-dione, 2,3,5,6-tetrahydro-3,11-bis[(1S)-1-phenylethyl]-2-(phenylmethyl)-, (2S,5S)-(9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 473920-03-5 HCAPLUS

CN 5,2-(iminomethano)-3-benzazocine-4,12(1H)-dione, 2,3,5,6-tetrahydro-2-(methoxymethyl)-3,11-bis[(1S)-1-phenylethyl]-, (2R,5S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




IT 473920-06-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(stereoselective synthesis of 2,7-diaminocarboxylic acid derivs. from
glycine-derived chiral synthon via alkylation and acid-hydrolysis)

RN 473920-06-8 HCAPLUS


CN 5,2-(iminomethano)-3-benzazocine-4,12(1H)-dione, 2,3,5,6-tetrahydro-3,11-bis[(1S)-1-phenylethyl]-2-(2-propenyl)-, (2S,5S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2007 ACS on STN
 AN 2001:32350 HCAPLUS
 DN 134:237770
 TI Stereoselective synthesis of α,α' -diamino-dicarboxylic acids.
 Part 2
 AU Paradisi, F.; Porzi, G.; Rinaldi, S.; Sandri, S.
 CS Dipartimento di Chimica 'G. Ciamician', Universita di Bologna, Bologna,
 40126, Italy
 SO Tetrahedron: Asymmetry (2000), 11(22), 4617-4622
 CODEN: TASYE3; ISSN: 0957-4166
 PB Elsevier Science Ltd.
 DT Journal
 LA English
 OS CASREACT 134:237770
 AB Enantiomerically pure α,α' -diamino dicarboxylic acids (R,R)-
 and (S,S)-2,7-diaminosuberic acid and (S,S)-o-phenylenebis(alanine) have
 been synthesized starting from the glycine-derived chiral synthon
 (S,S)-1,4-bis(1-phenylethyl)-2,5-piperazinedione.
 IT 330160-19-5P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (stereoselective preparation of (R,R)- and (S,S)-2,7-diaminosuberic acid and
 (S,S)-o-phenylenebis(alanine))
 RN 330160-19-5 HCAPLUS
 CN 5,2-(Iminomethano)-3-benzazocine-4,12(1H)-dione, 2,3,5,6-tetrahydro-3,11-
 bis[(1S)-1-phenylethyl]-, (2S,5S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RE.CNT 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> b uspatall;d bib abs hitrn fhistr l16 tot
 FILE 'USPATFULL' ENTERED AT 13:48:26 ON 20 SEP 2007
 CA INDEXING COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATOLD' ENTERED AT 13:48:26 ON 20 SEP 2007
 CA INDEXING COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 13:48:26 ON 20 SEP 2007
 CA INDEXING COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

L16 ANSWER 1 OF 1 USPATFULL on STN
 AN 2005:261958 USPATFULL
 TI Tyrosine kinase inhibitors
 IN Trotter, B. Wesley, Glenside, PA, UNITED STATES
 PI US-20050227988 A1 20051013
 AI 2003US-000510610 A1 20030408 (10)
 2003WO-US00012457 20030408
 20041008 PCT 371 date
 PRAI 2002US-000372232P 20020412 (60)
 DT Utility
 FS APPLICATION
 LREP MERCK AND CO., INC, P O BOX 2000, RAHWAY, NJ, 07065-0907, US
 CLMN Number of Claims: 20
 ECL Exemplary Claim: 1
 DRWN No Drawings
 LN.CNT 2093
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 AB The present invention relates to compounds that are capable of

inhibiting, modulating and/or regulating signal transduction of both receptor-type and non-receptor type tyrosine kinases. The compounds of the instant invention possess a core structure that comprises a benzazocine moiety. The present invention is also related to the pharmaceutically acceptable salts, hydrates and stereoisomers of these compounds.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 615557-39-6P 615557-40-9P 615557-41-0P
615557-42-1P 615557-43-2P 615557-44-3P
615557-45-4P 615557-46-5P

(preparation of hydro(epiminomethano)benzazocine derivs. as tyrosine kinase inhibitors for treating receptor type tyrosine kinase-related disorders)

IT 615557-51-2P 615557-52-3P 615557-53-4P
615557-54-5P 615557-55-6P 615557-56-7P


(preparation of hydro(epiminomethano)benzazocine derivs. as tyrosine kinase inhibitors for treating receptor type tyrosine kinase-related disorders)

IT 615557-39-6P

(preparation of hydro(epiminomethano)benzazocine derivs. as tyrosine kinase inhibitors for treating receptor type tyrosine kinase-related disorders)

RN 615557-39-6 USPATFULL

CN 5,2-(iminomethano)-3-benzazocine, 3-[(3-bromophenyl)methyl]-1,2,3,4,5,6-hexahydro-11-methyl-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

=> d his

(FILE 'HOME' ENTERED AT 13:17:11 ON 20 SEP 2007)

FILE 'REGISTRY' ENTERED AT 13:17:16 ON 20 SEP 2007

L1 STR
L2 0 L1

FILE 'HCAPLUS' ENTERED AT 13:20:21 ON 20 SEP 2007
L3 1 US20050227988/PN

FILE 'REGISTRY' ENTERED AT 13:23:09 ON 20 SEP 2007

FILE 'HCAPLUS' ENTERED AT 13:23:09 ON 20 SEP 2007
L4 TRA L3 1- RN : 36 TERMS

FILE 'REGISTRY' ENTERED AT 13:23:10 ON 20 SEP 2007

L5 36 SEA L4
L6 20 NC2NC2-C6-NC7/ES
L7 14 L5 AND L6

FILE 'HCAPLUS' ENTERED AT 13:44:31 ON 20 SEP 2007
L8 1 L7

FILE 'REGISTRY' ENTERED AT 13:44:47 ON 20 SEP 2007

L9 19 L1 FULL
SAV TEM J610C21/A L9
L10 14 L9 AND L5
L11 5 L9 NOT L10

FILE 'HCAPLUS' ENTERED AT 13:46:05 ON 20 SEP 2007

L12 2 L11

L13 FILE 'HCAOLD' ENTERED AT 13:46:31 ON 20 SEP 2007
0 L12

L14 FILE 'USPATFULL, USPATOLD, USPAT2' ENTERED AT 13:46:38 ON 20 SEP 2007
0 L12

L15 FILE 'HCAOLD' ENTERED AT 13:46:43 ON 20 SEP 2007
0 L10

L16 FILE 'USPATFULL, USPATOLD, USPAT2' ENTERED AT 13:46:54 ON 20 SEP 2007
1 L15

=>